Disability and Health Journal 14 (2021) 100989

Contents lists available at ScienceDirect

# Disability and Health Journal

journal homepage: www.disabilityandhealthinl.com



# What should we teach about disability? National consensus on disability competencies for health care education



Disability and Health Journal

Susan M. Havercamp, PhD<sup>a,\*</sup>, Wesley R. Barnhart, BA, BS<sup>a,1</sup>, Ann C. Robinson, BS<sup>a</sup>, Cara N. Whalen Smith, PT, DPT, MPH, CHES<sup>b</sup>

<sup>a</sup> The Ohio State University Nisonger Center, USA

<sup>b</sup> Ohio Colleges of Medicine Government Resource Center, USA

# ARTICLE INFO

Article history Received 20 March 2020 Received in revised form 25 August 2020 Accepted 26 August 2020

Keywords: Core disability competencies Disabilities Health disparities Health care education Healthcare

# ABSTRACT

Background: Health care providers are unprepared to meet the health needs of patients who have disabilities. Disability training is needed, yet there is little agreement about what should be taught. Objective: Establish a national consensus on what healthcare providers across disciplines need to know to provide quality care to patients with all types of disabilities (e.g., mobility, sensory, developmental, mental health)

Methods: People with disabilities, disability advocates, family members of people with disabilities, disability and health professionals, and inter-disciplinary health educators systematically evaluated and provided feedback on a draft set of disability competencies. Based on this feedback, competencies were iteratively refined.

Results: After two waves of feedback, six competencies, 49 sub-competencies, and 10 principles and values emerged that addressed topics such as respect, person-centered care, and awareness of physical, attitudinal, and communication health care barriers. An overwhelming majority (89%) agreed or strongly agreed that the disability competencies reflected the core understandings needed to provide quality care for patients with disabilities, were relevant across disability types (85%), and across health care disciplines (96%). Averaging evaluative feedback across competencies, participants reported that the competencies were important (98%) and clear (96%).

Conclusions: This consensus on what to teach is an important milestone in preparing a disability competent health care workforce. Future directions for research, training, and policy are discussed. When disability is included in health care education, the health care workforce will be prepared to deliver accessible, patient-centered, quality health care to patients with disabilities.

© 2020 The Author(s). Published by Elsevier Inc. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Americans with disabilities comprise a large, diverse group of people who have limitations in one or more areas of functioning such as vision, movement, thinking, remembering, learning, communicating, hearing, mental health, and social relationships.<sup>1</sup> People with disabilities are overrepresented in the health care system due to health needs directly related to specific disabling conditions and the high rates of chronic health conditions found in this population.<sup>2</sup>

Despite high needs for health services, people with disabilities report barriers to quality health care.<sup>3</sup> The World Report on

Disability reported that people with disabilities are twice as likely to find health care provider skills and equipment inadequate to meet their needs; three times as likely to be denied care; and four times as likely to be mistreated by health care providers.<sup>4</sup> Evidence of discomfort, negative attitudes, and lack of disability knowledge on the part of health professionals underscores a need for disability training. In recent reviews of disability content in interprofessional health education (e.g., medicine, nursing, psychology), researchers identified significant training gaps that contribute to health care disparities experienced by people with disabilities.<sup>5–7</sup> These

https://doi.org/10.1016/i.dhio.2020.100989

<sup>\*</sup> Corresponding author. The Ohio State University Nisonger Center, 371L McCampbell Hall, 1581 Dodd Drive, Columbus, OH, 43210, USA. E-mail address: Havercamp.1@osu.edu (S.M. Havercamp).

<sup>&</sup>lt;sup>1</sup> Author note: Wesley R. Barnhart is now at Department of Psychology, Bowling Green State University.

<sup>1936-6574/© 2020</sup> The Author(s). Published by Elsevier Inc. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/

researchers issued a call to action for inclusion of disability content in health care education to ensure students gain essential competencies to care for people with disabilities. We respond to this call.

Innovative disability curricula have been developed, evaluated, and published for health care education including medicine,<sup>8–13</sup> nursing,<sup>14,15</sup> social work,<sup>16,17</sup> psychology,<sup>18,19</sup> and interprofessional health students.<sup>20</sup> Learning objectives, curricular content, and evaluation measures were developed independently for each curriculum element. Agreement on what to teach about disability remains unanswered in part because inclusion of disability content has relied on the advocacy efforts of individual champions in health education.<sup>21</sup> Approaching disability training from a competencybased education framework allows us to develop learning objectives based on the health needs of the community,<sup>22</sup> people with disabilities. The first step in developing competency-based education is to explicitly map the specific health needs of people with disabilities to a set of competencies for the workforce in training.<sup>22</sup> Fundamental educational standards, competencies, or learning outcomes on disability are needed to scaffold curricular content that produces the requisite knowledge, values, and skills in learners.<sup>22</sup> Competencies for health care students that align with the health needs of people across the full range of disabilities are therefore necessary to ensure that learners have the capabilities necessary to provide high-quality care to patients with disabilities.

# Developing draft disability educational standards

The Alliance for Disability in Health Care Education (Alliance) is a nonprofit membership organization comprised of interprofessional health educators and health care providers representing the disciplines of medicine, nursing, psychology, physical therapy, occupational therapy, and other allied health professions. The Alliance mission is to integrate disability content and experiences into health care education and training programs. The 2012 annual meeting of the Alliance focused on defining a process for developing education standards on disability for health care education. Twenty members representing disciplines of medicine, nursing, psychology, social policy, occupational therapy, and medical engineering formed work groups around key aspects of health care: disability frameworks, professionalism, disability rights, team-based care, and clinical assessment and care. Workgroups met monthly by phone and drafted educational standards. At the 2013 annual meeting, workgroup representatives presented and led discussions about the disability education standards that had been drafted. Four Alliance members then reviewed all workgroup materials and compiled a complete draft, which was reviewed and edited one final time by workgroup members. The final draft, which included 73 educational standards, was presented to members at the 2014 Alliance Annual Meeting. Recognizing the diversity of disability types and that health care needs span health professions and disciplines, the competencies were designed to be relevant for treating patients across the full range of disability (e.g., mobility, sensory, mental health, and developmental disabilities) and applicable to future physicians, nurses, and other allied health professionals (interprofessional).

Alliance members recognized the important milestone of developing disability competencies and discussed opportunities to gather broader stakeholder input, engagement, and awareness of the disability educational standards. The present study was designed to take this next step of eliciting input on disability educational standards from a large sample representing key disability stakeholders, including people with disabilities.

The purpose of the present study was to establish a broad consensus on the core disability competencies for health care education based on input from a diverse group of disability and health stakeholders.

# Methods

There are no guidelines nor empirical bases for determining the key disability learning objectives in health care education. Consensus methods using the subjective opinions of a group of experts can serve to explore and push the edges of scientific knowledge.<sup>23</sup> Consensus approaches are widely used in many domains including health care decision-making, developing educational standards, and developing quality indicators.<sup>24–27</sup> Effective consensus building approaches are clear, systematic, and use the following elements  $^{23,24,28}$ : 1) establishing a panel of topic experts, 2) soliciting the anonymous individual input of the panel members on a specific topic, 3) providing the impaneled experts with a synthesis of the group's ideas/feedback and enabling another round of feedback, and 4) this synthesis reporting and revision/feedback process is repeated until a pre-set threshold for consensus is achieved. The aim of this study was to refine and obtain a consensus on essential disability competencies among disability stakeholders.

We used a consensus building technique and set a predetermined level of agreement of 75% or higher as defining consensus for each educational standard. We decided a priori to terminate the iterative feedback process when the average agreement across experts and across disability educational standards reached or exceeded 75%.

# Participants

We sought input from a national cross-section of disability stakeholders to gain consensus on the disability competencies. We considered disability expertise to include people with lived disability experience (people with disabilities and family members) and people with professional experience in the disability and health field. Interprofessional health educators were included in the Wave 2 sample to align the disability competencies with existing educational standards. These health educators were included as subject experts who could respond to the suitability of language and content for their respective discipline, but not necessarily from a disability perspective.

### Measures

### Participant characteristics

Participants self-identified as a person with a disability, disability advocate, family member of a person with disability, disability professional, health professional, health educator, and/or other. We did not define these identities and participants could self-identify into more than one category.

#### Feedback survey

We created an online survey to gather overall agreement and specific feedback from panel members on the draft disability competencies. After reviewing the draft competency document, participants were asked to make a global appraisal on a four-point scale, To what degree do you think the competencies and their subcompetencies address the range of knowledge, attitudes, and skills necessary for health care students to appropriately and effectively address the needs of people with disabilities? This question was followed by two open ended questions: Of the competencies and subcompetencies presented in the document, which, if any, do you feel should be addressed in greater depth? and What competencies or subcompetencies, if any, do you feel were fully missing from the document? Expert panel members were then asked a cross-disability question, The Alliance competency framework is intended to help providers care for people with a variety of disabilities, including behavioral, developmental, mobility, and sensory disabilities. To what degree do you think the competencies are applicable to people across the full spectrum of disabilities? Panel members were then asked to rate, on a four-point scale, the following three questions for each competency: How important are the descriptions of Competency X and How clear are descriptions of Competency X? We provided the following definitions for importance: To ensure safe and quality patient care, and to practice the profession effectively; and clarity: Language level is clear and acceptable, and the terminologies used are accessible. The third question provided a free text opportunity to comment on specific passages in each competency and subcompetencies and suggest changes.

Because we reached out to interprofessional health care educators in Wave 2, we added the following question to the survey, *The Alliance competency framework is intended to be crossdisciplinary. To what degree do you think the competencies are appropriate across health professions?* This question was rated on a four-point scale and followed by this open-ended question, *If you answered "Not at all" or "Somewhat" to question 6 above, what disciplines do you find underrepresented? Do you have suggestions for improvement?* 

#### Procedure

In October 2017, we identified and recruited disability stakeholders to refine the disability competencies. We sent 339 invitations to participate in Wave 1 through national disability networks including disability policy and advocacy groups and individuals, disability service organizations, and programs with a disability and health focus. Disability stakeholders completed a commitment form, agreeing to serve on the expert panel and to provide feedback on disability educational standards over a series of iterations until consensus was reached. Second, we sent panel members the draft disability competencies developed by the Alliance and a link to the anonymous online feedback survey. Participants were encouraged to contact the research team if they needed accommodations to fully participate in the panel. Third, after three reminders and four weeks, we closed the survey, analyzed Wave 1 data and revised the competencies based on expert panel feedback. Working together, the co-authors of this paper reviewed each comment provided in free text and made suggested revisions that were consistent with the intent of creating interprofessional and cross-disability competencies. When deliberating about proposed revisions, more weight was given to suggestions that were made by more than one panel member. Thus, both quantitative and qualitative criteria were used in the determination of consensus. Fourth, we recruited a group of interprofessional health educators to participate in Wave 2. Health educators were recruited through professional associations for medicine, nursing, speech and hearing, psychology, and through the Interprofessional Education Collaborative, which is comprised of health associations across 21 disciplines. Fifth, we sent the revised disability competencies to all participants from Wave 1, a summary of the changes made based on panel feedback, and a link to the Wave 2 feedback survey. The panel members recruited at Wave 2 were sent the revised Disability Competencies with a link to the feedback survey. Sixth, after three reminders and four weeks, we closed the survey and analyzed Wave 2 qualitative and quantitative data using the same process as in Wave 1. See Fig. 1 for the consensus study procedure and timeline.

# Results

A diverse group of disability stakeholders was recruited to review and refine the disability competencies. From a total of 339 invitations, 75 participants were recruited in Wave 1 (22% response rate) including people with disabilities (n = 17), disability advocates (n = 27), family members of people with disabilities (n = 5), disability professionals (n = 32), health professionals (n = 31), and other (n = 12). The other category included researchers, public health professionals, and health administration professionals. It is important to note that the vast majority of respondents (90%) selfreported having more than one identity (e.g., person with a disability and health educator).

At Wave 2, 65 invitations were sent to interprofessional health educators and, of these, 38 accepted invitations (58.5% response rate) representing medicine (n = 7), nursing (n = 12), occupational therapy (n = 2), physical therapy (n = 2), social work (n = 1), psychology (n = 2), speech and hearing (n = 1), public health and policy (n = 9), and other health professions (n = 24), including pharmacology, nutrition, physician assistant, and recreation therapy.

# Wave 1

Participant feedback on the draft competencies was quite positive at Wave 1. Table 1 shows the summary agreement ratings at Wave 1 and Wave 2 for global appraisal, cross-disability, interprofessional (only asked at Wave 2), and ratings for importance and clarity averaged across competencies. Because we recruited health educators to join the expert panel at Wave 2, these tables report agreement by the following three groups of expert panel members: members who committed to the Consensus study and completed Wave 1 but not Wave 2 review (Wave 1 ONLY), members who engaged in both Wave 1 and Wave 2 (Wave 1&2), and members who participated in Wave 2 only (Wave 2 ONLY). As shown in Table 1, among Wave 1 ONLY and Wave 1&2 groups combined, 83.6% agreed or strongly agreed at Wave 1 that the disability competencies addressed the range of knowledge, attitudes, and skills necessary to care for people with disabilities (global appraisal) and 70.8% agreed or strongly agreed that the disability competencies were applicable across the full range of disability types. Table 2 lists the ratings for each competency across the three participant groups at Wave 1. Averaging across the 5 competencies, we found approximately 95.3% of panel members agreed or strongly agreed that the competencies were important and 81.5% agreed or strongly agreed that they were clearly written.

We received 354 open-ended comments and suggestions for changes to the disability competencies in Wave 1. Revisions in response to these open-ended comments included adding definitions and examples to improve clarity and adding learning outcomes on behavioral health, supported decision making, and diversity and cultural competence. We revised the learning outcomes on disability framework and history to focus on disability rights and the independent living movement. Finally, we split a longer competency that addressed clinical assessment and clinical care into two competencies. The Alliance competency document reviewed in Wave 1 included 5 competencies and a total of 73 subcompetencies. Revisions based on Wave 1 feedback resulted in 6 competencies and a total of 55 subcompetencies. Although Wave 1 ratings approached our predetermined criteria of 75% agreement for consensus, we considered the revisions based on qualitative feedback to be substantive and therefore decided to pursue a second wave of feedback.

#### Wave 2

A total of 36.5% (n = 27) of Wave 1 participants also participated in Wave 2. In addition, 38 interprofessional health educators provided feedback at Wave 2 only. As shown in Table 1, participant feedback improved at Wave 2. The iterative progress toward



Fig. 1. Consensus study procedure and timeline.

Table 1	
Summary Consensus Agreement <sup>a</sup> across Waves and Expert Panel Member groups.	

	Expert Panel Groups	Global <sup>b</sup>	Cross-disability	Inter-professional	Importance (competency average) <sup>c</sup>	Clarity (competency average) <sup>c</sup>
Wave 1	Wave 1 ONLY <b>Wave 1 &amp; 2</b> Wave 1 Total	84.7% (39/46) <b>81.5% (22/27)</b> 83.6% (61/73)	69.6% (32/46) <b>73.1% (19/26)</b> 70.8% (51/72)	Not asked	96.5% <b>93.3%</b> 95.3%	85.9% <b>74.1</b> 81.5%
Wave 2	Wave 2 Only <b>Wave 1 &amp; 2</b> Wave 2 Total	90.9% (30/33) <b>88.9% (24/27)</b> 88.9% (24/27)	80.0% (24/30) <b>85.2% (23/27)</b> 85.2% (23/27)	87.1% (27/31) <b>96.3% (26/27)</b> 96.3% (26/27)	98.2% <b>98.7%</b> 96.6%	94.5% <b>97.5%</b> 96.0%

Wave 1&2 lines were bolded to help the read eridentify and compare the subgroup of panel members who engaged in both Waves of the interative process. Thi subgroup is particularly important because it demonstrates a growing consensus.

<sup>a</sup> Percentages represent the upper ends of rating scale (e.g., Very Well/Extremely Well, Mostly Important/Very Important, and Mostly Clear/Completely Clear).

<sup>b</sup> To what degree do you think the competencies and their sub-competencies address the range of knowledge, attitudes, and skills necessary for health care students to appropriately and effectively address the needs of people with disabilities?.

<sup>c</sup> See Table 2 to find ratings for each competency.

#### Table 2

Im	portance and	Clarity	agreement <sup>a</sup>	for each	competenc	v h	/ Wave	and Fx	nert	Panel	orom	n
m	Joi tance and	ciarity	agreement	ior cach	competenc	y D.	y wwave	and LA	pere	i anci	Siou	P٠

	Expert Panel	How important are descriptions of Competency X?						How clear are the descriptions of Competency X?					
	Groups	Comp. 1	Comp. 2	Comp. 3	Comp. 4	Comp. 5	Comp. 6	Comp. 1	Comp. 2	Comp. 3	Comp. 4	Comp. 5	Comp. 6
Wave 1	Wave 1 ONLY members Wave 1&2 members Wave 1 Total	93.6% (44/ 47) <b>77.8% (21/ 27)</b> 87.8% (65/ 74)	100% (45/ 45) <b>100% (27/ 27)</b> 100% (72/ 72)	95.6% (43/ 45) <b>95.8% (26/ 27)</b> 95.8% 69/72)	93.3% (42/ 45) <b>96.3% (26/ 27)</b> 94.4% (68/ 72)	100% (45/ 45) <b>96.3% (26/ 27)</b> 98.6% (71/ 72)	Not asked	85.1% (40/ 47) <b>81.5% (22/ 27)</b> 83.7% (62/ 74)	86.7% (39/ 45) <b>81.5% (22/ 27)</b> 84.7% (61/ 72)	84.4% (38/ 45) <b>62.9% (17/ 27)</b> 76.4% (55/ 72)	86.7% (39/ 45) <b>78% (21/ 27)</b> 83.3% (60/ 72)	86.7% (39/ 45) <b>66.7% (18/ 27)</b> 79.2% (57/ 72)	Not asked
Wave 2	Wave 1 & 2 members Wave 2 ONLY members Wave 2 Total	<b>96.2% (25/</b> <b>26)</b> 93.1% (27/ 29) 94.5% (52/ 55)	<b>100% (27/</b> <b>27)</b> 100% (27/ 27) 100% (54/ 54)	<b>100% (27/</b> <b>27)</b> 100% (27/ 27) 100% (54/ 54)	<b>100% (26/ 26)</b> 96.2% (25/ 26) 98.1% (51/ 52)	<b>100% (27/</b> <b>27)</b> 100% (27/ 27) 100% (54/ 54)	<b>96.3% (26/</b> <b>27)</b> 100% (27/ 27) 98.1% (53/ 54)	<b>100% (27/</b> <b>27)</b> 96.4% (27/ 28) 98.2% (54/ 55)	<b>100% (27/</b> <b>27)</b> 100% (27/ 27) 100% (54/ 54)	<b>96.3% (26/</b> <b>27)</b> 96.3% (26/ 27) 96.3% (52/ 54)	<b>96.3% (26/</b> <b>27)</b> 92.6% (25/ 27) 94.4% (51/ 54)	<b>96.3% (26/</b> <b>27)</b> 92.6% (25/ 27) 94.4% (51/ 54)	<b>96.3% (26/</b> <b>27)</b> 88.9% (24/ 27) 92.6% (50/ 54)

Wave 1&2 lines were bolded to help the read eridentify and compare the subgroup of panel members who engaged in both Waves of the interative process. Thi subgroup is particularly important because it demonstrates a growing consensus

<sup>a</sup> Percentages represent the upper ends of rating scale (e.g., Mostly Clear/Completely Clear and Mostly Important/Very Important).

consensus is illustrated by the change in the Wave 1&2 group from Wave 1 to Wave 2. Averaged across the three membership groups, an overwhelming majority (88.9%) agreed or strongly agreed that the disability competencies addressed the range of knowledge, attitudes, and skills necessary to care for people with disabilities, were applicable to the care of patients across the full range of disability types (85.2%), and were relevant to education across health disciplines (96.3%). Averaged across competencies, panel members rated the competencies as important (98.2%) and clear (96.0%). As with Wave 1, we reviewed the open-ended responses and collectively decided on changes based on the intent of the disability competencies. From a total of 136 individual responses, changes were made to include social and environmental health determinants, the role of support providers and supported decision making in patient-centered care, and awareness of the increased risk of abuse for people with disabilities. Finally, we made minor edits to ensure the disability competencies were applicable to health care across the lifespan. These changes resulted in the addition of four subcompetencies. Because of the very high rate of agreement among our expert panel and because fewer and only minor changes were suggested, we determined that consensus was reached in April 2018.

Disability stakeholders converged upon six competencies (see

#### Table 3

Core competencies on disability for health care education.

**Competency 1: Contextual and Conceptual Frameworks on Disability** 

Introduces disability as a demographic characteristic as opposed to a negative health outcome. The learner acquires a conceptual framework of disability in the context of human diversity, the lifespan, wellness, injury, and social and cultural environments.

**Competency 2: Professionalism and Patient-Centered Care** 

Addresses professionalism and the need to mitigate implicit bias against people with disabilities. The learner demonstrates mastery of general principles of professionalism, communication, respect for patients, and recognizes optimal health and quality of life from the patient's perspective.

Competency 3: Legal Obligations and Responsibilities for Caring for Patients with Disabilities

Disability accommodations are introduced as a civil right, not merely the right thing to do. The learner will understand and identify legal requirements for providing health care in a manner that is, minimally, consistent with federal laws such as the Americans with Disabilities Act (ADA), Rehabilitation Act, and Social Security Act to meet the individual needs of people with disabilities.

**Competency 4: Teams and Systems-Based Practice** 

The learner will engage and collaborate with team members within and outside their own discipline to provide high-quality, interprofessional team-based health care to people with disabilities.

**Competency 5: Clinical Assessment** 

Clinical assessment for people with disabilities require the integration of functional status in clinical decision making to develop a coordinated care plan.

Learner will collect and interpret relevant information about the health and function of patients with disabilities and engage patients in creating a plan of care that includes essential and optimal services and supports.

Competency 6: Clinical Care Over the Lifespan and During Transitions

Clinical care for people with disabilities requires the integration of functional status and life course transitions in clinical decision making to develop a coordinated care plan. Learners will demonstrate knowledge of effective strategies to engage patients with disabilities in creating a coordinated plan of care with needed services and supports.

Table 3) and 59 subcompetencies, including ten guiding principles and values essential to providing quality care to people with disabilities.<sup>29</sup> The Core Competencies on Disability for Health Care Education and supporting material are available online, go.osu.edu/ corecompetenciesdisability-learnmore.

#### Discussion

Disability education for future health care professionals offers an actionable step toward improving the health of children and adults with disabilities. We gathered input from a wide range of disability stakeholders to develop consensus-based disability competencies for interprofessional health care education. This consensus represents a milestone in the path toward disability competent healthcare by suggesting what health care students need to learn about disability. These competencies can guide the next steps of including disability competencies in interprofessional education standards, as well as curriculum development and evaluation.

There are strengths and weaknesses of this study that should be considered when interpreting these results. One limitation was the low retention rate from Wave 1 to Wave 2 (36.5%) among our expert panel members. This, together with the fact that we

#### Table 4

Alignment of disability competencies and LCME

LCME Standard 6: Competencies, Curricular Objectives, and Curricular Design

The faculty of a medical school define the competencies to be achieved by its medical students through medical education program objectives and is responsible for the detailed design and implementation of the components of a medical curriculum that enable its medical students to achieve those competencies and objectives. Medical education program objectives are statements of the knowledge, skills, behaviors, and attitudes that medical students are expected to exhibit as evidence of their achievement by completion of the program.

LCME 6.2	Disability Competency 3.6
Required Clinical Experiences	Ensure that healthcare providers and support staff members are trained to provide
	services that meet the needs of the patient with a disability (e.g., knowing how to
	appropriately transfer a patient with a mobility limitation to an exam table).
	Disability Competency 5.8
	Demonstrate skill in performing a history and physical exam (PE), modifying it as needed
	to provide equally effective care while accommodating for mobility, sensory, cognitive,
	and/or behavioral issues.
LCME 6.3	Disability Competency 3.7
Self-Directed and Life-Long Learning	Providers recognize their own need for further training and/or skill development in caring
	for patients with disabilities and take action to address those needs based on current best
	practices.
LCME 6.7	Disability Competency 4.2
Academic Environments	Describe impact of teams and the unique and discipline-specific responsibilities of team
	members in addressing health needs of patients with disabilities, in partnership with the
	patient as a central member of the team.

# LCME Standard 7: Curricular Content

The faculty of a medical school ensure that the medical curriculum provides content of sufficient breadth and depth to prepare medical students for entry into any residency program and for the subsequent contemporary practice of medicine.

LCME 7.2	Disability Competency 6.2
Organ Systems/Life Cycle/Primary Care/Prevention/Symptoms/Signs/	Recognize that people with disabilities need access to age-appropriate preventative
Differential Diagnosis, Treatment Planning, Impact of Behavioral and Social	screenings, assessments, and health education including reproductive health, family
Factors	planning, and sexuality.
	Disability Competency 6.8
	Recognize that disability should not limit self-determination in end-of-life care for people
	with disabilities, regardless of disability type and severity. Offer treatment options in the
	same way options would be presented to similar-aged peers without disabilities.
LCME 7.4	Disability Competency 5.10
Critical Judgment/Problem-Solving Skills	Assess the social environment of patients with disabilities to understand the impact of
	significant relationships and social networks on health outcomes.
	Disability Competency 6.8
	Recognize that disability should not limit self-determination in end-of-life care for people
	with disabilities regardless of disability type and severity. Offer treatment options in the
	same way ontions would be presented to similar-aged peers without disabilities
ICME 7.5	Disability Competency 5 11
Societal Problems	Recognize that children and adults with disabilities are vulnerable to abuse. The nature of
Societar Problems	abuse may be verbal financial physical and/or sexual Abuse often goes unreported
	because the person with a disability may depend on the abuser for activities of daily living
	or social support
	Disability Competency 5 12
	Assess the physical environment of people with disabilities recognizing that the patient's
	socioeconomic status is a determinant of his/her functioning and independence and also
	affects health and safety
ICME 7.6	Disability Competency 1 5
Cultural Competence and Health Care Disparities	Describe disability as an aspect of diversity/cultural identity and contrast with historical
cultural competence and reach care Disparities	views of disability as merely a negative health outcome
	Disability Competency 2.1
	Explore and mitigate one's own implicit biases and avoid making assumptions about a
	person's abilities or lack of abilities and lifestyle
	Disability Competency 512
	Assess the physical environment of people with disabilities recognizing that the patient's
	socioeconomic status is a determinant of his/her functioning and independence and also
	affects health and safety
	Disability Competency 64
	Tailor recommended supports and interventions to the patient's cultural beliefs and
	values time recourses and preferences. Be prepared to prepare constructive solutions to
	possible conflicts between patient caregivers, and other professionals about goals and
	possible conflicts between patient, caregivers, and other professionals about goals and
ICME 7.7	Disability Competency 2.6
LCME 7.7 Medical Ethics	Ensure that healthcare providers and support staff members are trained to provide
Medical Ethics	convices in a disability component manner (o.g. knowing how to appropriately transfer a
	services in a disability competent manner (e.g., knowing now to appropriately transier a
	Disability Competency 2.8
	Disability competency 5.6
	in the best the care sustem
	ni the nearth care system.
	Disability competency 3.2
	and interventions and the importance of securing patient permission before accessing
	and interventions and the importance of securing patient permission before engaging
	נמולצו עלו לא

Table 4 (continued)

LCME Standard 6: Competencies, Curricular Objectives, and Curricular Design

The faculty of a medical school define the competencies to be achieved by its medical students through medical education program objectives and is responsible for the detailed design and implementation of the components of a medical curriculum that enable its medical students to achieve those competencies and objectives. Medical education program objectives are statements of the knowledge, skills, behaviors, and attitudes that medical students are expected to exhibit as evidence of their achievement by completion of the program.

LCME 7.8	Disability Competency 2.3
Communication Skills	Demonstrate communication strategies to best meet the needs/abilities of the patient.
	Seek out and implement appropriate resources, including interpreter services, to
	communicate effectively using understandable language. Adjust schedule to allow extra
	time as needed.
	Disability Competency 2.6
	Recognize that some patients with disabilities may benefit from supported decision-
	making. Demonstrate skill in engaging the patient and caregivers in the supported
	decision-making process.
	Disability Competency 3.3
	Plan for accessible communication in all aspects of the healthcare encounter including
	scheduling, intake, responding to and asking questions, and follow-up care. Avoid
	technical jargon.
LCME 7.9	Disability Competency 4.2
Interprofessional Collaborative Skills	Describe impact of teams and the unique and discipline-specific responsibilities of team
	members in addressing health needs of patients with disabilities, in partnership with the
	patient as a central member of the team.
	Disability Competency 4.3
	Describe challenges in creating a person-centered or family-centered system of care.
	Identify services and providers that could play a role in the health of the patient. Discuss
	strategies to build an effective healthcare team.
	Disability Competency 3.3
	List systems of community-based services and supports that may be useful for patients
	with disabilities outside of the clinical care system. Be prepared to interact with these
	systems and make relevant referrals to ensure comprehensive care coordination,
	particularly during times of transition.

recruited a new group of health educators to participate in Wave 2, meant that relatively few panel members engaged in the iterative consensus process. Despite this limitation, strong consensus on the competencies was found as shown in Tables 1 and 2 for panel members who participated in Wave 1 only, Wave 2 only, and both Wave 1 and Wave 2. A second limitation is that demographic information was not collected from panel members. This oversight limits our ability to report on the diversity and representativeness of the expert panel. Strengths of this study was the engagement of a large expert panel representing people with professional disability expertise and lived disability experience. Health educators were included to help align the disability competencies to existing educational standards. To our knowledge, this is the first study attempting to develop disability competencies for health care education with broad stakeholder input.

Including disability training in interprofessional health care education is important because all health care professionals encounter patients with disabilities and should demonstrate competence. Disability competent care promises to improve health care for people with chronic health diseases and functional limitations as well as for people with disabilities. Disability competence is well-aligned with the universal goal of health care training programs to prepare the workforce to meet population health needs. As shown in Table 4, the disability competencies align with the Liaison Committee on Medical Education standards. Including disability competencies in all accreditation, licensure, and health education certification standards would engender systemic change and motivate the continued education on disability among practicing health care providers.

Proposing to add disability objectives and curricular content will likely meet with resistance owing, in part, to competing demands for content in already overcrowded curricula.<sup>21,30</sup> Importantly, we do not recommend separate disability courses, clinical placements,

or new specialties. The most efficient and effective approach to disability competence would recognize disability as an aspect of population diversity, akin to race or ethnicity.<sup>8</sup> Many of the topics addressed in the disability competencies are currently taught in health care education, but not applied to patients with disabilities. Disability content could be seamlessly woven into discussions of health equity,<sup>30,31</sup> professionalism,<sup>32</sup> patient-centered care,<sup>8</sup> social determinants of health,<sup>33</sup> intersectionality,<sup>34,35</sup> and cultural competence.<sup>36</sup> Recently, Krishnan and colleagues established guidelines for revising case-based courses to deliver critical concepts around race and culture.<sup>37</sup> Aquifer adopted these guidelines, which may impact virtual-case-based courses used by over 95% of U.S. medical schools. A similar case-based approach could be used to deliver critical disability concepts. Disability cases, small group activities, and journal club recommendations are available<sup>7,38,39</sup> as are online trainings.<sup>40–42</sup>

Among disability training approaches, providing interprofessional health care students the opportunity to meet people with disabilities had the most significant impact.<sup>11</sup> It is important to recruit lecturers, panel members, and/or standardized patients from the disability community.<sup>8</sup> Asking standardized patients to feign disability lacks authenticity and may inadvertently reinforce negative stereotypes about people with disabilities. Furthermore, actors without disabilities are not credible in portraying aspects of disability such as atrophied muscles, poor head control, deafness, blindness, contractures, spasticity, dysarthric speech, or the use of communication devices or interpreters. Further work is needed to develop curricula content and resources that teach the core disability competencies.

Producing a disability competent health care workforce will require widespread adoption of the disability competencies in health care education. Future research is needed. First, work with professional accreditation and licensure bodies is needed to embed disability in health education standards. Second, research is needed to develop protocols to evaluate curricular elements and disability competence (e.g., items for board and licensure examinations). Third, professional development on disability will be critical to prepare faculty to teach these competencies. Finally, clinical outcomes research is needed to evaluate the relationships between disability competence, quality health care, and patient outcomes.

# Conclusions

This work represents an important milestone in the creation of a disability competent health care workforce. We submit this work hoping that these competencies will guide the development and evaluation of disability content in interprofessional health education. Achieving a disability competent health care workforce promises better health care and better health outcomes for people with disabilities.

#### Presentations

These findings were briefly summarized in a Commentary that was published in DHJO (Neill Bowen, Havercamp, Karpaik Bowen, Nye, 2020). These findings were presented, in part, at the following professional meetings:

1. Havercamp, S.M. (2019, October). Centers for Disease Prevention Public Health Grand Rounds.

2. Robinson, A.C., Havercamp, S.M., Macerollo, A., Walton, J., Prokup, J., Crane, J., Lash, T., and Barnhart, W.R. (2019, November). *Implementing disability training opportunities for future health care providers.* Oral session presented at the 147th American Public Health Association Annual Meeting and Exposition, Philadelphia, PA.

# Funding

This project was supported by the Centers for Disease Control and Prevention Cooperative Agreement No. DD000015.

# **Declaration of competing interest**

The contents of this article are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention or the Department of Health and Human Services.

#### Acknowledgments

We would like to acknowledge the Alliance for Disability in Health Care Education, whose efforts in developing these core disability competencies laid the groundwork for this study. We would also like to recognize members of the Competency Development Committee, whose critical feedback and sustained efforts allowed for reaching consensus on these competencies. Finally, we thank Emily A. Yang for her contributions to this study.

#### References

- 1. United States Department of Health, Education, and Welfare Office for Civil Rights. *Section 504 of the Rehabilitation Act of* 1973 : *Fact Sheet : Handicapped Persons Rights under Federal Law.* Washington: Dept. of Health, Education, and Welfare, Office of the Secretary, Office for Civil Rights; 1978.
- Reichard A, Stolzle H, Fox MH. Health disparities among adults with physical disabilities or cognitive limitations compared to individuals with no disabilities in the United States. *Disabil. Health J.* 2011;4(2):59–67. https://doi.org/ 10.1016/j.dhjo.2010.05.003.
- 3. Shakespeare T. Still a health issue. Disabil. Health J. 2012;5(3):129–131.
- 4. World Health Organization. World Report on Disability; 2011. Available at

https://www.who.int/publications/i/item/world-report-on-disability www. who.int. Accessed April 2020.

- 5. Ankam, N. S., Bosques, G., Sauter, C., et al.
- Mayer RS. Competency-based curriculum development to meet the needs of people with disabilities. Acad Med. 2019;94(6):781–788. https://doi.org/ 10.1097/acm.00000000002686.
- Smeltzer SC, Dolen MA, Robinson-Smith G, Zimmerman V. Integration of disability-related content in nursing curricula. *Nurs Educ Perspect.* 2005;26: 210–216.
- lezzoni Ll, Long-Bellil LM. Training physicians about caring for persons with disabilities: "Nothing about us without us!". Disabil. Health J. 2012;5:136–139.
- Duggan A, Bradshaw YS, Carroll SE, Rattigan SH, Altman W. What can I learn from this interaction? A qualitative analysis of medical student self-reflection and learning in a standardized patient exercise about disability. J Health Commun. 2009;14(8):797–811.
- Symons AB, McGuigan D, Akl EA. A curriculum to teach medical students to care for people with disabilities: development and initial implementation. BMC Med Educ. 2009;9(1):78.
- Long-Bellil LM, Robey KL, Graham CL, et al. Teaching medical students about disability: the use of standardized patients. Acad Med. 2011;86(9):1163–1170.
- 12. Woodard LJ, Havercamp SM, Zwygart KK, Perkins EA. An innovative clerkship module focused on patients with disabilities. *Acad Med*. 2012;87(4):537–542.
- Bu P, Veloski JJ, Ankam NS. Effects of a brief curricular intervention on medical students' attitudes toward people with disabilities in healthcare settings. *Am. J. Phys. Med. Rehabil.* 2016;95(12):939–945.
- 14. Thompson TLC, Emrich K, Moore G. The effect of curriculum on the attitudes of nursing students toward disability. *Rehabil Nurs*. 2003;28(1):27–35.
- Oermann MH, Lindgren CL. An educational program's effects on students' attitudes toward people with disabilities: a 1-year follow-up. *Rehabil Nurs*. 1995;20(1):6–10.
- **16.** Ballan MS. Disability and sexuality within social work education in the USA and Canada: the social model of disability as a lens for practice. *Soc Work Educ.* 2008;27(2):194–202.
- Bean KF, Krcek TE. The integration of disability content into social work education: an examination of infused and dedicated models. *Adv Soc Work*. 2012;13(3):633–647.
- Olkin R, Pledger C. Can disability studies and psychology join hands? Am Psychol. 2003;58(4):296-304. https://doi.org/10.1037/0003-066X.58.4.296.
- Weiss JA, Lunsky Y, Morin D. Psychology graduate student training in developmental disability: a Canadian survey. Can Psychol/Psychol Canadienne. 2010;51(3):177.
- Shakespeare T, lezzoni LI, Groce NE. Disability and the training of health professionals. Lancet. 2009;374(9704):1815–1816.
- Seidel E, Crowe S. The state of disability awareness in American medical schools. Am. J. Phys. Med. Rehabil. 2017;96(9):673–676.
- Gruppen LD, Mangrulkar RS, Kolars JC. The promise of competency-based education in the health professions for improving global health. *Hum Resour Health*. 2012;10(1). https://doi.org/10.1186/1478-4491-10-43.
- Jünger S, Payne SA, Brine J, Radbruch L, Brearley SG. Guidance on Conducting and REporting DElphi Studies (CREDES) in palliative care: recommendations based on a methodological systematic review. *Palliat Med.* 2017 Sep;31(8): 684–706.
- Belton I, MacDonald A, Wright G, Hamlin I. Improving the practical application of the Delphi method in group-based judgment: a six-step prescription for a well-founded and defensible process. *Technol Forecast Soc Change*. 2019 Oct 1;147:72–82.
- Boulkedid R, Abdoul H, Loustau M, Sibony O, Alberti C. Using and reporting the delphi method for selecting healthcare quality indicators: a systematic review. *PLoS One*. 2011;6, e20476.
- Humphrey-Murto S, Varpio L, Gonsalves C, Wood TJ. Using consensus group methods such as Delphi and Nominal Group in medical education research. *Med Teach*. 2017 Jan 2;39(1):14–19.
- Younger S, Payne SA, Brine J, Radbruch L, Brearley SG. Use of the Delphi technique to develop best practice guidelines in palliative care - a methodological systematic review. J Palliat Med. 2016 Sep;17:P174, 05.
- Diamond IR, Grant RC, Feldman BM, et al. Defining consensus: a systematic review recommends methodologic criteria for reporting of Delphi studies. J Clin Epidemiol. 2014 Apr 1;67(4):401–409.
- Alliance for Disability in Health Care Education. Core Competencies on Disability for Health Care Education. Peapack, NJ: Alliance for Disability in Health Care Education; 2019. https://go.osu.edu/disabilitycorecompetencies.
- Ogden L, McAllister C, Neely-Barnes S. Integration of disability content into social work education. J Soc Work Disabil Rehabil. 2017;16(3,4):361–376.
- Sharby N, Martire K, Iversen MD. Decreasing health disparities for people with disabilities through improved communication strategies and awareness. Int J Environ Res Publ Health. 2015;12(3):3301–3316.
- Symons AB, Morley CP, McGuigan D, Akl EA. A curriculum on care for people with disabilities: effects on medical student self-reported attitudes and comfort level. *Disabil. Health J.* 2014;7(1):88–95.
- Frier A, Barnett F, Devine S, Barker R. Understanding disability and the 'social determinants of health': how does disability affect peoples' social determinants of health? *Disabil Rehabil.* 2018;40(5):538–547. https://doi.org/10.1080/ 09638288.2016.1258090.
- 34. Onyeabor S. Addressing health disparities at the intersection of disability, race, and ethnicity: the need for culturally and linguistically appropriate training for

#### S.M. Havercamp, W.R. Barnhart, A.C. Robinson et al.

healthcare professionals. J Racial Ethnic Health Disparities. 2016;3(3):389–393.
35. Breslin ML, Goode TD, Havercamp SM, et al. Compounded Disparities: Health Equity at the Intersection of Disability, Race, and Ethnicity. 2016.

- Crossley M. Disability cultural competence in the medical profession. Louis UJ Health L. & Pol'y. 2015;9:89.
- Krishnan A, Rabinowitz M, Ziminsky A, Scott SM, Chretien KC. Addressing race, culture, and structural inequality in medical education. *Acad Med.* 2019;94(4): 550–555. https://doi.org/10.1097/acm.00000000002589.
- Turk, M. (n.d.). Disability Integration Toolkit: Physical Medicine and Rehabilitation: SUNY Upstate Medical University. Retrieved from https://www.upstate. edu/pmr/education/toolkit/index.php.
- Shakespeare T, Kleine I. Educating health professionals about disability: a review of interventions. *Health and Social Care Education*. 2013;2(2):20–37. https://doi.org/10.11120/hsce.2013.00026.
- Havercamp S. Disability Continuing Education for Healthcare Providers; 2019, August 30. Retrieved from https://nisonger.osu.edu/education-training/ohiodisability-health-program/disability-healthcare-training/.
- Blunt, E., & Smeltzer, S. (n.d.). Caring for People with Disabilities: The Nurse Practitioner Tool Kit. Retrieved from https://www1.villanova.edu/villanova/ nursing/community/npsknowdisabilitycare.html.
- Resources for Integrated Care. (n.d.). Continuing Education Activities. Retrieved from https://www.resourcesforintegratedcare.com/continuing\_education.